STABILITY ANALYSIS OF RETRIAL SYSTEMS WITH CONSTANT RETRIAL RATES

- K. Avrachenkov, Inria Sophia Antipolis, France
- E. Morozov, Institute of Applied Mathematical Research and Petrozavodsk University, Russia
- R. Nekrasova, Institute of Applied Mathematical Research and Petrozavodsk University, Russia
- B. Steyaert, SMACS Research Group, Ghent University, Belgium

In this work, we first review recent results concerning a finite buffer queueing system with $c \ge 1$ servers, where a blocked job joins the orbit working as a FCFS queue with exponential time between the attempts to enter the servers. This system is motivated by telephone exchange systems, medium access protocols, optical networks with near-zero buffering, TCP short-file transfers. For such a system, we present a sufficient stability condition which is analytically available in some important new cases. Some simulation results demonstrating the tightness of obtained stability condition are given as well.

Then we consider a new single-server bufferless retrial queueing system with N Poisson inputs, motivated by multiple telecommunication applications, where a class-i blocked job joins orbit i which works like a single-server FCFS queueing system with (exponential) retrial times. We present some analytical results of the performance analysis of such a system. Then we analyze the stability of such a system, and find a set of necessary stability conditions. The main new contribution of this work is that we prove that these conditions are also sufficient stability conditions for a wide class of service time distributions. We note that the obtained stability conditions have a clear probabilistic interpretation, and that the regenerative approach is the key tool for this type of stability analysis.

The research of EM and RN are supported by the Program of Strategic Development of the Petrozavodsk State University and by an ECQT2014 grant.