Carpet Wear Classification based on Support Vector Machine Pattern Recognition Approach

^{1,2}C. Copot, ²S. Syafiie, ³S. Vargas, ²R. de Keyser,
⁴L. van Langenhove, ¹C. Lazar

¹ Department of Automatic Control and Applied Informatics, “Gheorghe Asachi”
Tehnickal University of Iasi

² Department of Electrical energy, Systems and Automation, Ghent University

³ Department of Telecommunication, Ghent University

⁴ Department of Textile, Ghent University

Outline

- Introduction
- Features extraction
- PCA (Principal Component Analysis)
- Features classification
- Results
- Conclusion

Objective

Data Acquisition

Fig 1. Digital image

Fig 2. Laser image

Co-occurrence matrix

➤ Co-occurrence matrix composed

$$C_d(g(i, j), g(i+k, j+l)) = C_d(g(i, j), g(i+k, j+l)) + 1$$

$$\text{Where: } d = \sqrt{k^2 + l^2}$$

Haralick's Features

- ✓ *Energy*
- ✓ *Sum Entropy*
- ✓ *Entropy*
- ✓ *Sum Variance*
- ✓ *Inertia*
- ✓ *Difference Variance*
- ✓ *Homogeneity*
- ✓ *Difference Entropy*
- ✓ *Contrast*
- ✓ *Informational Measures of Correlation*
- ✓ *Correlation*
- ✓ *Maximal Correlation Coefficient*
- ✓ *Sum Average*

Theoretical representation

Features Validation

Haralick feature - Energy

Name of carpet	Human expert classification
20 kl 517	BMW
20 kl 517 – 2	2.5
20 kl 517 – 4	2.5
20 kl 517 – 6	2.5
20 kl 517 – 8	2
20 kl 517 – 10	2
20 kl 517 – 12	2

Table of human expert

What and why PCA?

- Principal Component Analysis is a useful technique used to reduce the dimensionality of large data sets, such as those from micro array analysis;
- When there are more than three variables, it is more difficult to visualize graphically their relationships.

PCA Results

2D Plotting of first two PC

3D Plotting of first three PC

Binary SVM

➤ A separated hyperplane:

$$w^T x + b = 0$$

$$w^T x + b > 0 \quad \text{if} \quad y = 1$$

$$w^T x + b < 0 \quad \text{if} \quad y = -1$$

Where - x is training data
 - y is indicator vector

Nonlinear - SVM

$$k(x_i, x_j) = (x_i x_j + 1)^p \quad \text{- polynomial kernel}$$

$$k(x_i, x_j) = e^{-\|x-y\|^2 / 2\sigma^2} \quad \text{- Gaussian kernel}$$

The separable plane will be:

$$k(x_i, x_j)w^T + b = 0$$

Multi – class SVM

➤ One - Against - All decomposition

Testing Results

➤ For every carpet are used:

- 4 points for training
- 1 point for testing

Type of carpet	Polynomial kernel %	Gaussian kernel %
A8 – 501	84,4	84,4
A8 – 701	84,4	100
Big 4	100	100
20 KL 803 beige	84,4	84,4
LA 7	84,4	100
Pr 84	100	100
20 KL 517	100	100
Big 8	86	86
LA 9	72	100
20 KL 803	100	100
Over all	89,56	95,48

Table of percentage classification

SVM Classification

Classification for carpet KL-517

Conclusion

- Automated carpet classification can be achieved using co-occurrence matrix, PCA and SVM
- Polynomial kernel gives 88,32% over all classification
- Gaussian kernel gives 94,24% over all classification

THANK YOU!