

WOODHEAD PUBLISHING SERIES IN CIVIL AND STRUCTURAL ENGINEERING



THE STRUCTURAL INTEGRITY OF RECYCLED AGGREGATE CONCRETE PRODUCED WITH FILLERS AND POZZOLANS



Edited by
**PAUL O. AWOYERA, CARLOS THOMAS,
MEHMET SERKAN KIRGIZ**

The Structural Integrity of Recycled Aggregate Concrete Produced With Fillers and Pozzolans

This page intentionally left blank

Woodhead Publishing Series in Civil and
Structural Engineering

The Structural Integrity of Recycled Aggregate Concrete Produced With Fillers and Pozzolans

Edited by

Paul O. Awoyera

Carlos Thomas

Mehmet Serkan Kirgiz



ELSEVIER

WP

WOODHEAD
PUBLISHING

An imprint of Elsevier

Woodhead Publishing is an imprint of Elsevier
The Officers' Mess Business Centre, Royston Road, Duxford, CB22 4QH, United Kingdom
50 Hampshire Street, 5th Floor, Cambridge, MA 02139, United States
The Boulevard, Langford Lane, Kidlington, OX5 1GB, United Kingdom

Copyright © 2022 Elsevier Ltd. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or any information storage and retrieval system, without permission in writing from the publisher. Details on how to seek permission, further information about the Publisher's permissions policies and our arrangements with organizations such as the Copyright Clearance Center and the Copyright Licensing Agency, can be found at our website: www.elsevier.com/permissions.

This book and the individual contributions contained in it are protected under copyright by the Publisher (other than as may be noted herein).

Notices

Knowledge and best practice in this field are constantly changing. As new research and experience broaden our understanding, changes in research methods, professional practices, or medical treatment may become necessary.

Practitioners and researchers must always rely on their own experience and knowledge in evaluating and using any information, methods, compounds, or experiments described herein. In using such information or methods they should be mindful of their own safety and the safety of others, including parties for whom they have a professional responsibility.

To the fullest extent of the law, neither the Publisher nor the authors, contributors, or editors, assume any liability for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions, or ideas contained in the material herein.

British Library Cataloguing-in-Publication Data

A catalogue record for this book is available from the British Library

Library of Congress Cataloging-in-Publication Data

A catalog record for this book is available from the Library of Congress

ISBN: 978-0-12-824105-9 (print)

ISBN: 978-0-12-824106-6 (online)

For information on all Woodhead Publishing publications
visit our website at <https://www.elsevier.com/books-and-journals>

Publisher: Matthew Deans

Acquisitions Editor: Gwen Jones

Editorial Project Manager: John Leonard

Production Project Manager: Anitha Sivaraj

Cover Designer: Mark Rogers

Typeset by MPS Limited, Chennai, India



Contents

List of contributors	xv
Preface	xix

Section I Potential fillers and pozzolans for recycled aggregate concrete

1 The use of foundry sand for recycled aggregate concrete	3
<i>Gilberto Garcia Del Angel and Carlos Thomas</i>	
1.1 Introduction	3
1.2 Foundry sand generation	4
1.3 Physical-chemical properties of foundry sand	6
1.4 Foundry sand in concrete	8
1.5 Fresh properties of concrete with foundry sand	9
1.6 Mechanical properties of concrete with foundry sand	10
1.7 Compressive strength	10
1.8 Flexural strength	13
1.9 Durability	13
1.10 Carbonation depth	14
1.11 Acid environment	14
1.12 Sulfate resistance	15
1.13 Rapid chloride penetration	16
1.14 Other applications of foundry sand	16
1.15 Foundry sand in road construction	17
1.16 Foundry sand in masonry elements	18
1.17 Conclusions	19
References	19
2 Influence of fly ash in physical and mechanical properties of recycled aggregate concrete	25
<i>Adeyemi Adesina and Paul O. Awoyera</i>	
2.1 Introduction	25
2.2 Effect of FA on mechanical properties of RAC	26
2.2.1 Crumb rubber	26
2.2.2 Recycled concrete	26
2.2.3 Ceramic wastes	29
2.2.4 Palm kernel shells	31

2.3	Conclusion	35
	References	35
	Further reading	37
3	Use of recycled fines from waste concrete as an admixture in new concrete	39
	<i>Yury Villagrán-Zaccardi, Eva Sosa, Leandro Carrizo and Claudio Zega</i>	
3.1	Introduction	39
3.2	Grinding, water demand, and potential filler effect	40
3.3	Hydraulic activity in recycled concrete fines	46
3.4	Thermal activation	50
3.5	Use as fines in self-compacting concrete	56
3.6	Conclusions	59
	Acknowledgments	61
	References	61
4	Use of agro-industrial waste as a filler for structural reinforcement mortars	67
	<i>Afonso R.G. de Azevedo and Markssuel T. Marvila</i>	
4.1	Introduction	67
4.2	Objective and originality of this work	70
4.3	Materials and methods	70
4.4	Results and discussion	71
4.5	Conclusion	75
	References	76
	Further reading	78
5	Colemanite filler from wastes in recycled concrete	79
	<i>Ali Aghajanian, Carlos Thomas, Jose Sainz-Aja and A. Cimentada</i>	
5.1	Introduction	79
5.2	Structure and properties of colemanite	83
	5.2.1 Physical properties	83
	5.2.2 Chemical properties	83
5.3	Main applications of colemanite fillers	84
	5.3.1 Cement production	85
	5.3.2 Mortars	86
	5.3.3 Geopolymers	87
	5.3.4 Effect of boron-containing concrete on neutron attenuation	88
5.4	Properties of concrete with colemanite fillers	90
	5.4.1 Time of set	90
	5.4.2 Specific gravity	91
	5.4.3 Volume expansion	91
	5.4.4 Mechanical properties	91
	5.4.5 Neutron shielding	92
5.5	Properties of concrete with colemanite aggregate	92

5.5.1	Mix proportions	93
5.5.2	Slump	94
5.5.3	Compressive and tensile strength	94
5.6	Conclusions	95
5.7	Future trends	96
	References	97
6	Thermal performance of concrete with recycled concrete powder as partial cement replacement and recycled CDW aggregate	105
	<i>Cesar Medina Martinez, I.F. Sáez del Bosque, G. Medina, M. Frías and M.I. Sánchez de Rojas</i>	
6.1	Introduction	105
6.2	Concrete industry sustainability	107
6.2.1	Recycled aggregate in recycled concrete eco-design	107
6.2.2	Strategies for improving recycled concrete performance	109
6.2.3	Supplementary cementitious materials	110
6.3	Recycled concretes containing supplementary cementitious materials	116
6.3.1	Effect on consistency	116
6.3.2	Effect on compressive strength	119
6.3.3	Effect on durability	123
6.3.4	Effect on environmental indicators: carbon dioxide (CO ₂) emissions	131
6.4	Conclusions	132
	Acknowledgments	133
	References	133
7	The use of slags in recycled aggregate concrete	145
	<i>Paul O. Awoyera, Olusola E. Babalola and Oluwatobi G. Aluko</i>	
7.1	Introduction	145
7.2	The production process for slag	146
7.2.1	Ground granulated blast-furnace slag	149
7.2.2	Blast-furnace slag	150
7.2.3	Electric arc furnace slag	150
7.2.4	Copper and tin slag	150
7.3	Slag as aggregates in recycled aggregates concrete	151
7.3.1	Fresh properties of recycled aggregate concrete	151
7.3.2	Mechanical properties of recycled aggregate concrete	153
7.3.3	Durability properties of recycled aggregate concrete	156
7.4	Slag as admixtures in recycled aggregates concrete	157
7.4.1	Influence of slag admixtures on RAC fresh properties	158
7.4.2	Influence of slag admixtures on RAC mechanical properties	159
7.4.3	Influence of slag admixtures on RAC durability properties	160
7.4.4	The high-temperature performance of recycled material concrete	163

7.5	Conclusion	164
	References	164
	Further reading	170
8	The use of rice hush ash in eco-concrete	171
	<i>Ali Aghajanian, Carlos Thomas and Jose Sainz-Aja</i>	
8.1	Introduction	171
8.2	Historical background investigation	173
8.3	Material and methodology	175
8.3.1	Structure of rice husk ash	175
8.4	Fresh concrete properties of RHA	182
8.4.1	Workability	182
8.5	Consistency and setting times	182
8.6	Hardened properties concrete of RHA	184
8.6.1	Compressive strength	184
8.6.2	Flexural strength	185
8.7	Splitting tensile strength	185
8.8	Modulus of elasticity	187
8.9	Durability properties	187
8.10	Water absorption properties	188
8.11	Shrinkage properties knowledge	188
8.12	Alkali-silica reaction	188
8.13	Chloride resistance methods	190
8.14	Sulfate resistance	190
8.15	Carbonation	190
8.16	Conclusion	190
	References	191
9	Specialized concrete made of processed biomass ash: lightweight, self-compacting, and geopolymetric concrete	199
	<i>J. Rosales, M. Cabrera, M. Lopez-Alonso, J.L. Díaz-López and Francisco Agrela</i>	
9.1	Introduction	199
9.2	Biomass ash to produce specialized concrete	200
9.2.1	Sources of biomass and types of ashes and application	200
9.2.2	Mineralogical and chemical properties of biomass ash	202
9.2.3	Type of processing on biomass ash	204
9.3	Eco-efficient concrete manufactured with biomass ashes	207
9.4	Lightweight concrete with biomass ashes	209
9.4.1	Properties and characteristics of lightweight concrete	209
9.4.2	Lightweight concrete with biomass waste	211
9.4.3	Lightweight concrete with biomass ash	212
9.5	Self-compacting concrete with biomass ash	214
9.5.1	Considerations for the design of self-compacting concrete	214
9.5.2	Typology of self-compacting concrete	215

9.5.3	Industrial by-products in the manufacture of self-compacting concrete	217
9.6	Alkaline activated biomass ash for use in geopolymers and concrete	221
9.6.1	Biomass ash. Properties and application in AAC	223
9.6.2	Alkali-activated biomass studies: mortars and geopolymers	226
9.6.3	Alkali-activated biomass in manufactured concrete	228
9.7	Concluding remarks	230
	References	230

Section II Rheology and hydration phenomenon in concrete containing fillers and pozzolans

10	Mineralogy and interfacial transition zone features of recycled aggregate concrete	243
	<i>Paul O. Awoyera and Mehmet Serkan Kirgiz</i>	
10.1	Introduction	243
10.1.1	Interfacial transition zone	243
10.2	Analysis of microstructure with SEM and hydration products with XRD and EDS	245
10.3	Recycled concrete aggregate concrete and supplementary cementitious materials interaction by means of microscale analysis	247
10.4	Microstructure analysis of recycled concrete aggregate treated in acid	247
10.5	Conclusion	249
	References	249
11	Water requirement for recycled concrete	253
	<i>Mehmet Serkan Kirgiz</i>	
11.1	Introduction	253
11.2	Adaptation the formulas of Bolomey's, Ferret's, Abraham's and Sterne's mixing for recycled concrete aggregate concrete	257
11.2.1	Applying the modified Bolomey formula for the design of recycled concrete aggregate concrete	258
11.3	Physical properties of recycled concrete aggregate related to its water requirement	259
11.3.1	Shape and texture of recycled concrete aggregate	259
11.3.2	Unit weight	259
11.3.3	Unit volume (compacted)	260
11.3.4	Void volume	260
11.3.5	Pore structure	260
11.3.6	Permeable structure	261
11.3.7	Water absorption	261

11.4	Mechanical properties of recycled concrete aggregate regarding on water absorption factor	262
11.4.1	Abrasion of recycled concrete aggregate	263
11.4.2	Effect of aggregate on dynamic force	264
11.4.3	Grinding and sieving of aggregate	264
11.4.4	Aggregates reaction to crushing	265
11.5	Chemical properties of recycled concrete aggregate regarding on water absorption factor	265
11.5.1	Expansion	265
11.5.2	Alkali-aggregate reactivity	266
11.5.3	Sulphate percent	266
11.5.4	Chloride percent	266
11.5.5	Organic items unwanted	267
11.6	Concluded remarks	267
11.7	Suggestion	267
	Conflict of interest	268
	Funding	268
	References	268

Section III Mechanical and microscale nature in recycled concrete

12	Mechanical properties of recycled aggregate concrete with bottom ash additions	275
	<i>P.R. Silva, R.V. Silva and J. de Brito</i>	
12.1	Introduction	275
12.1.1	Coal bottom ash	276
12.1.2	Fresh, mechanical, and durability-related performance in concrete	280
12.1.3	Municipal solid waste incinerator bottom ash	282
12.1.4	Biomass bottom ash	288
12.2	Conclusions	294
	References	295
13	Macroscopic mechanical characterization of self-compacting recycled concrete mixed with natural lime filler	303
	<i>Andrés Juan-Valdés, Julia García-González, M. Ignacio Guerra-Romero, Julia Ma Morán-del Pozo and Rebeca Martínez-García</i>	
13.1	State of the art and purpose of the study	303
13.2	Materials and methods	305
13.2.1	Materials	305
13.2.2	Batching	309
13.3	Results and discussion	311
13.3.1	Characterization of coarse recycled aggregate	311

13.3.2	Batching	311
13.3.3	Self-consolidation	311
13.3.4	Compressive strength	313
13.3.5	Splitting tensile strength	314
13.3.6	Flexural strength	316
13.3.7	Microstructural analysis	317
13.4	Conclusion	319
	Acknowledgements	319
	References	320
14	Shear strength assessment of reinforced recycled aggregate concrete member	323
	<i>Oladimeji B. Olalusi and John Temitope Kolawole</i>	
14.1	Introduction	323
14.2	Recycled aggregate concrete	325
14.2.1	Requirements of recycled aggregate for use in concrete	325
14.2.2	Performance of recycled aggregate concrete	326
14.3	Shear strength of recycled aggregate concrete beams	328
14.3.1	Shear behavior of recycled aggregate concrete beams	328
14.3.2	Shear strength parameters of recycled aggregate concrete beams	329
14.4	Existing shear resistance formulations for reinforced concrete beams without stirrups	334
14.4.1	EN 1992–1-1:2004 (EC2) (EN 1992–1-1, 2004)	334
14.4.2	ACI 318–14 shear design provision (ACI Committee 318, 2014)	335
14.4.3	Compression Chord Capacity model (Cladera et al., 2016)	335
14.4.4	Pradhan et al. model (Pradhan et al., 2018)	336
14.5	Experimental database on shear strength of tested recycled aggregate concrete slender beams	336
14.6	Characterization of model factor (bias and uncertainty) for shear resistance of recycled aggregate concrete beams without stirrups	338
14.6.1	Methodology for the assessment	338
14.6.2	Statistical properties of the model uncertainty variable	339
14.6.3	Assessment of model uncertainty independence and correlations	341
14.7	Conclusion	342
	References	343
15	Upcycling CO₂ for enhanced performance of recycled aggregate concrete and modeling of properties	349
	<i>Paul O. Awoyera, Priyadharshini Perumal, Katja Ohenoja and Iman Mansouri</i>	
15.1	Introduction	349

15.1.1	CO ₂ conditioning of recycled aggregate concrete	350
15.1.2	Gene expression programming technique—overview	351
15.2	Properties of recycled aggregate concrete incorporating CO ₂ conditioned aggregate	353
15.2.1	Carbonated recycled aggregate	353
15.2.2	Recycled aggregate concrete incorporating carbonated recycled aggregate	354
15.3	Micro scale features of recycled aggregate concrete incorporating CO ₂ conditioned aggregate	356
15.4	Modeling and formulation of mechanical properties	357
15.5	Conclusions	361
	Acknowledgment	361
	References	362
16	Properties of recycled aggregate concrete designed with equivalent mortar volume method	365
	<i>Jeonghyun Kim and Lukasz Sadowski</i>	
16.1	Introduction	365
16.1.1	Recycled aggregate	366
16.1.2	Recycled aggregate concrete	368
16.2	Equivalent mortar volume method	368
16.2.1	Determination of residual mortar content	369
16.2.2	Mixture proportions	371
16.3	Properties of recycled aggregate concrete designed with equivalent mortar volume method	372
16.3.1	Effect of equivalent mortar volume mix design on the properties of the fresh concrete	372
16.3.2	Effect of equivalent mortar volume mix design on the properties of the hardened concrete	374
16.3.3	Environmental impacts of equivalent mortar volume method	379
16.4	Conclusions	379
	References	380
17	Bending behavior of ecological fiber reinforced concrete	383
	<i>Laura Gonzalez, Jose Sainz-Aja, Pablo Tamayo and Carlos Thomas</i>	
17.1	Introduction	383
17.2	Parameters influencing bending strength	387
17.3	Test procedures	389
17.3.1	ASTM C1609	389
17.3.2	EN 14651 standard	390
17.3.3	Differences between ASTM C1609 and EN 14651 standards	391
17.4	Research on the use of fiber reinforced ecological concrete	393
17.5	Conclusions and future trends	399
	References	400

18	A penalized regression approach to prediction of triaxial performance of recycled aggregate concrete	407
	<i>Iman Mansouri, Jinjun Xu, Jale Tezcan and Paul O. Awoyera</i>	
18.1	Introduction	407
18.2	Dataset	409
	18.2.1 Experimental dataset	409
	18.2.2 Evaluation of empirical models available in the open literature	409
18.3	Least absolute shrinkage and selection operator	418
18.4	Least absolute shrinkage and selection operator model for the triaxial peak stress of recycled concrete aggregate	421
	18.4.1 Data selection and preprocessing	421
	18.4.2 Selection of the least absolute shrinkage and selection operator parameter	422
	18.4.3 Results	423
18.5	Conclusion	427
	References	428

Section IV Issues associated with recycled concrete

19	Overview on environmental impact of recycled aggregate concrete incorporating pozzolans or fillers	435
	<i>Paul O. Awoyera and E.I. Ugwu</i>	
19.1	Introduction	435
	19.1.1 Common pozzolans used in recycled aggregate concrete	436
19.2	Conclusion	442
	References	442
20	Durability assessment of recycled aggregate in concrete production	445
	<i>Gideon Olukunle Bamigboye, Daniel Ademola, Mutiu Kareem, Blessing Orogbade, Abimbola Odetoyan and Adedayo Adeniyi</i>	
20.1	Introduction	445
20.2	Water permeability	446
20.3	Water absorption—initial surface absorption	447
20.4	The volume of permeable voids	447
20.5	Sorptivity	448
20.6	Dimensional stability of recycled aggregates concrete	450
	20.6.1 Creep	450
	20.6.2 Shrinkage	452
20.7	Effect of 100% replacement of coarse and fine aggregates with recycled coarse aggregate on concrete shrinkage	452
20.8	Effect of various types of recycled aggregate on concrete shrinkage	453

20.9	The effect of difference in relative humidity on the shrinkage of recycled aggregate concrete	453
20.10	Models for the determination of shrinkage of recycled aggregate concrete	453
20.10.1	CEB MC90–99 model	454
20.10.2	Bažant and Baweja B3 (2000)	455
20.10.3	GL2000	455
20.11	Carbonation resistance	456
20.12	Chloride penetration resistance	457
20.13	Abrasion	458
20.14	Fire resistance	458
20.15	Freeze–thaw resistance and frost damage	460
20.16	Chemical resistance	460
20.17	Conclusion	461
	References	461
	Index	469